




IPT

International Standard Profile for Cooling



LINKING PRECISION WITH PERFORMANCE

IPT, the international standard quick coupling system for low pressure applications

Characteristics

- High quality materials
- Compact and ergonomic design
- Robust sealing concept
- Available in stainless steel
- Available as multicoupling

Clampless hose system

- Allows time-saving assembly without using hose clamps
- Space saving
- Reduces the risk of injury from sharp clamps
- Extensive application possibilities

Disconnecting lock


All couplings are available with the "disconnecting lock" safety feature.



Option: SR



Option: S



IPT

COUPLING STANDARD

SERIE IPT

TEMPERATURE REGULATION

PROFILE INTERNATIONAL

Options

- Colour coding
- Stainless Steel
- Safety locking

R / B
VA
S

Applications

- Cooling and heating
- Injection moulding
- Die casting

Materials

Body Socket	Brass
Body Plug	Brass
Sleeve	Brass
Valve	Brass
Locking Ring	Stainless steel
Spring	Stainless steel
Balls	Stainless steel
Seals	Viton (V)



Temperature range

Nitril (NBR)	N	- 15 °C +100 °C	
Fluorcarbon (FPM)	V	- 20 °C +160 °C	Water
		- 20 °C +200 °C	Heating Oil



IPT 06 IPT 09 IPT 15



Flow Size

6 9 15






Pressure


10 15 15


Always make sure no medium flows before disconnecting


FLEXQ


Series IPT - Flow Rate & Pressure Drop Graph




Size						Ød	Ød1		L	L1	Standard hose tail socket
6	IPT 06 FHB 06			IPT 06 FHF 06		6 mm	17	56	50	23	
	IPT 06 FHB 09			IPT 06 FHF 09		9 mm	17	56	50	23	
	IPT 06 FHB 13			IPT 06 FHF 13		13 mm	17	56	52	25	
9	IPT 09 FHB 09			IPT 09 FHF 09		9 mm	23	66	57	23	
	IPT 09 FHB 13			IPT 09 FHF 13		13 mm	23	68	69	25	
15	IPT 15 FHB 16			IPT 15 FHF 16		16 mm	32	85	71	25	
	IPT 15 FHB 19			IPT 15 FHF 19		19 mm	32	93	78	28	


Size						Ød	Ød1		L	L1	Clampless hose tail socket
6	IPT 06 FPB 06			IPT 06 FPF 06		6 mm	17	53	47	19	
	IPT 06 FPB 10			IPT 06 FPF 10		10 mm	17	58	50	24	
	IPT 06 FPB 13			IPT 06 FPF 13		13 mm	17	62	54	28	
9	IPT 09 FPB 10			IPT 09 FPF 10		10 mm	22	68	60	24	
	IPT 09 FPB 13			IPT 09 FPF 13		13 mm	22	72	64	28	
15	IPT 15 FPB 16			IPT 15 FPF 16		16 mm	32	101	84	38	
	IPT 15 FPB 19			IPT 15 FPF 19		19 mm	32	101	84	38	


Size						Ød	Ød1		L	L1	Standard hose tail socket 45°
6	IPT 06 FHB 06-45			IPT 06 FHF 06-45		6 mm	17	45	45	23	
	IPT 06 FHB 09-45			IPT 06 FHF 09-45		9 mm	17	45	45	23	
	IPT 06 FHB 13-45			IPT 06 FHF 13-45		13 mm	17	45	45	23	
9	IPT 09 FHB 09-45			IPT 09 FHF 09-45		9 mm	23	58	58	23	
	IPT 09 FHB 13-45			IPT 09 FHF 13-45		13 mm	23	58	58	25	
15	IPT 15 FHB 16-45			IPT 15 FHF 16-45		16 mm	32	78	78	25	
	IPT 15 FHB 19-45			IPT 15 FHF 19-45		19 mm	32	78	78	28	


Size						Ød	Ød1		L	L1	Clampless hose tail socket 45°
6	IPT 06 FPB 06-45			IPT 06 FPF 06-45		6 mm	17	45	45	19	
	IPT 06 FPB 10-45			IPT 06 FPF 10-45		10 mm	17	45	45	24	
	IPT 06 FPB 13-45			IPT 06 FPF 13-45		13 mm	17	45	45	28	
9	IPT 09 FPB 10-45			IPT 09 FPF 10-45		10 mm	23	58	58	24	
	IPT 09 FPB 13-45			IPT 09 FPF 13-45		13 mm	23	60	58	28	
15	IPT 15 FPB 16-45			IPT 15 FPF 16-45		16 mm	32	78	78	38	
	IPT 15 FPB 19-45			IPT 15 FPF 19-45		19 mm	32	78	78	38	


Size			Ød	Ød1	L	L1	Clampless hose tail socket 90°
6	IPT 06 FPF 06-90X26		6 mm	17	26	19	
	IPT 06 FPF 10-90X26		10 mm	17	26	24	
9	IPT 09 FPF 10-90X36		10 mm	23	36	24	
	IPT 09 FPF 13-90X36		13 mm	23	36	28	




Short version




Standard hose tail socket 90°		Size				Ød	Ød1		L	L1
	6	IPT 06 FHB 06-90	IPT 06 FHF 06-90			6 mm	17	45	45	23
		IPT 06 FHB 09-90	IPT 06 FHF 09-90			9 mm	17	45	45	23
		IPT 06 FHB 13-90	IPT 06 FHF 13-90			13 mm	17	45	45	25
	9	IPT 09 FHB 09-90	IPT 09 FHF 09-90			9 mm	23	58	58	23
		IPT 09 FHB 13-90	IPT 09 FHF 13-90			13 mm	23	58	58	25
	15	IPT 15 FHB 16-90	IPT 15 FHF 16-90			16 mm	32	81	81	28
IPT 15 FHB 19-90		IPT 15 FHF 19-90			19 mm	32	81	81	28	


Clampless hose tail socket 90°		Size				Ød	Ød1		L	L1
	6	IPT 06 FPB 06-90	IPT 06 FPF 06-90			6 mm	17	45	45	19
		IPT 06 FPB 10-90	IPT 06 FPF 10-90			10 mm	17	45	45	24
		IPT 06 FPB 13-90	IPT 06 FPF 13-90			13 mm	17	45	45	28
	9	IPT 09 FPB 10-90	IPT 09 FPF 10-90			10 mm	23	58	58	24
		IPT 09 FPB 13-90	IPT 09 FPF 13-90			13 mm	23	58	58	28
	15	IPT 15 FPB 16-90	IPT 15 FPF 16-90			16 mm	32	81	81	38
		IPT 15 FPB 19-90	IPT 15 FPF 19-90			19 mm	32	81	81	38


Cylindrical female thread socket		Size				Ød	Ød1	L	HEX
	6	IPT 06 FFB 18	IPT 06 FFF 18			BSP 1/8	17	41	14
		IPT 06 FFB 14	IPT 06 FFF 14			BSP 1/4	17	43	16
		IPT 06 FFB 38	IPT 06 FFF 38			BSP 3/8	17	43	19
	9	IPT 09 FFB 14	IPT 09 FFF 14			BSP 1/4	23	52	17
		IPT 09 FFB 38	IPT 09 FFF 38			BSP 3/8	23	52	19
		IPT 09 FFB 12	IPT 09 FFF 12			BSP 1/2	23	57	24
	15	IPT 15 FFB 12	IPT 15 FFF 12			BSP 1/2	32	70	27
		IPT 15 FFB 34	IPT 15 FFF 34			BSP 3/4	32	75	30


Cylindrical male thread socket		Size				Ød	Ød1	L	L1	HEX
	6	IPT 06 FMB 14	IPT 06 FMF 14			BSP 1/4	17	46	11	14
		IPT 06 FMB 38	IPT 06 FMF 38			BSP 3/8	17	46	11	17
		IPT 06 FMB 1415	IPT 06 FMF 1415			M14x1.5	17	46	11	15
		IPT 06 FMB 1615	IPT 06 FMF 1615			M16x1.5	17	46	11	17
	9	IPT 09 FMB 14	IPT 09 FMF 14			BSP 1/4	23	56	11	17
		IPT 09 FMB 38	IPT 09 FMF 38			BSP 3/8	23	56	11	17
		IPT 09 FMB 12	IPT 09 FMF 12			BSP 1/2	23	58	12	21
		IPT 09 FMB 1615	IPT 09 FMF 1615			M16x1.5	23	56	11	17
	15	IPT 15 FMB 12	IPT 15 FMF 12			BSP 1/2	32	78	12	22
		IPT 15 FMB 34	IPT 15 FMF 34			BSP 3/4	32	82	16	30
		IPT 15 FMB 2415	IPT 15 FMF 2415			M24x1.5	32	82	16	27


Size	  	 	Ød	Ød1	L	L1	HEX	Cylindrical male thread socket 45°
6	IPT 06 FMB 14-45	IPT 06 FMF 14-45	BSP 1/4	17	45	11	14	
	IPT 06 FMB 38-45	IPT 06 FMF 38-45	BSP 3/8	17	45	11	17	
	IPT 06 FMB 1415-45	IPT 06 FMF 1415-45	M14x1.5	17	45	11	15	
	IPT 06 FMB 1615-45	IPT 06 FMF 1615-45	M16x1.5	17	45	11	17	
9	IPT 09 FMB 38-45	IPT 09 FMF 38-45	BSP 3/8	23	58	11	17	
	IPT 09 FMB 1615-45	IPT 09 FMF 1615-45	M16x1.5	23	58	11	17	
15	IPT 15 FMB 12-45	IPT 15 FMF 12-45	BSP 1/2	32	76	12	22	
	IPT 15 FMB 2415-45	IPT 15 FMF 2415-45	M24x1.5	32	76	16	30	


Size	  	 	Ød	Ød1	L	L1	HEX	Cylindrical male thread socket 90°
6	IPT 06 FMB 14-90	IPT 06 FMF 14-90	BSP 1/4	17	45	11	14	
	IPT 06 FMB 38-90	IPT 06 FMF 38-90	BSP 3/8	17	45	11	17	
	IPT 06 FMB 1415-90	IPT 06 FMF 1415-90	M14x1.5	17	45	11	15	
	IPT 06 FMB 1615-90	IPT 06 FMF 1615-90	M16x1.5	17	45	11	17	
9	IPT 09 FMB 38-90	IPT 09 FMF 38-90	BSP 3/8	23	58	11	17	
	IPT 09 FMB 1615-90	IPT 09 FMF 1615-90	M16x1.5	23	58	11	17	
15	IPT 15 FMB 12-90	IPT 15 FMF 12-90	BSP 1/2	32	81	12	32	
	IPT 15 FMB 2415-90	IPT 15 FMF 2415-90	M24x1.5	32	81	16	30	


Size		Ød1	L	Blind Socket
6	IPT 06 FB	17	27	
9	IPT 09 FB	23	36	
15	IPT 15 FB	32	44	


Size	  		Ød	Ød1	Ød2	Ød3	L	max. flow	Adapting socket with the plug
6	IPT 06 FXB IPT 06	IPT 06 FXF IPT 06	6	9.5	17	9.5	41	6	
6	IPT 06 FXB IPT 09	IPT 06 FXF IPT 09	9	13.5	23	9.5	48	6	
9	IPT 09 FXB IPT 06	IPT 09 FXF IPT 06	6	9.5	17	13.5	51	6	
9	IPT 09 FXB IPT 09	IPT 09 FXF IPT 09	9	13.5	23	13.5	53	9	


Size	  		Ød	Ød1	Ød2	Ød3	L	max. flow	Adapting socket with the plug
6	IPT 06 FXB HPT 06	IPT 06 FXF HPT 06	6	9	17	9.5	40	6	
6	IPT 06 FXB HPT 09	IPT 06 FXF HPT 09	9	13	23	9.5	36	6	
9	IPT 09 FXB HPT 06	IPT 09 FXF HPT 06	6	9	17	13.5	50	6	
9	IPT 09 FXB HPT 09	IPT 09 FXF HPT 09	9	13	23	13.5	57	9	


Bridge	Size		Ød	Ød1	Ød2	L	L1	L2
	6	IPT 06 FCF 125	8x1	9.4	17	44	125	2
		IPT 06 FCF 250	8x1	9.4	17	44	250	2
		IPT 06 FCF 500	8x1	9.4	17	44	500	2
	9	IPT 09 FCF 125	10x1	13.5	23	57	125	2
		IPT 09 FCF 250	10x1	13.5	23	57	250	2
		IPT 09 FCF 500	10x1	13.5	23	57	500	2
Includes 2 sockets and pipe								


Diverting sockets	Size		Ød	Ød1	Ød2	Ød3	L	L3
	6	IPT 06 FCF	8x1	9.4	17	20	44	37
	9	IPT 09 FCF	10x1	13.5	23	26	57	49


Pipe	Size	Brass Tube	Ød	Ød1	Length
	6	CBM 0810x1000	8	6	1000 mm
	9	CBM 1010x1000	10	8	1000 mm


Blind Plug	Size	Order No	Ød
	6	IPT 06 MB	9.4
	9	IPT 09 MB	13.5
	15	IPT 13 MB	20


Adapting Plug	Size		Ød	Ød1	L
	6	IPT 06 MXM IPT 06	9.4	9,4	32
	6	IPT 06 MXM IPT 09	13,5	9,4	32
	9	IPT 09 MXM IPT 09	13,5	13,5	33
	6	IPT 06 MXM HPT 06	9,4	9,4	28
	9	IPT 09 MXM HPT 09	13,5	13,5	33


Size		Ød	Ød1	L	L1	HEX	Conical male thread plug
6	IPT 06 MRF 18	BSPT 1/8	9.4	24	9	11	
	IPT 06 MRF 14	BSPT 1/4	9.4	27	12	14	
	IPT 06 MRF 38	BSPT 3/8	9.4	27	12	17	
	IPT 06 MTF 18	NPT 1/8	9.4	24	9	11	
	IPT 06 MTF 14	NPT 1/4	9.4	28	13	14	
	IPT 06 MTF 38	NPT 3/8	9.4	28	13	17	
	IPT 06 MMF 1010	M10x1	9.4	24	9	11	
	IPT 06 MMF 1415	M14x1.5	9.4	26	11	15	
	IPT 06 MMF 1615	M16x1.5	9.4	26	11	17	


Size		Ød	Ød1	L	L1	HEX	Conical male thread plug
9	IPT 09 MRF 14	BSPT 1/4	13.5	33	12	14	
	IPT 09 MRF 38	BSPT 3/8	13.5	33	12	17	
	IPT 09 MRF 12	BSPT 1/2	13.5	38	17	22	
	IPT 09 MTF 14	NPT 1/4	13.5	33	13	14	
	IPT 09 MTF 38	NPT 3/8	13.5	33	13	17	
	IPT 09 MTF 12	NPT 1/2	13.5	38	17	22	
	IPT 09 MMF 1010	M10x1	13.5	32	10	14	
	IPT 09 MMF 1415	M14x1.5	13.5	32	11	15	
	IPT 09 MMF 1615	M16x1.5	13.5	33	12	17	


Size		Ød	Ød1	L	L1	HEX	Conical male thread plug
15	IPT 15 MRF 14	BSPT 1/4	20	38	12	21	
	IPT 15 MRF 38	BSPT 3/8	20	38	12	21	
	IPT 15 MRF 12	BSPT 1/2	20	42	16	22	
	IPT 15 MRF 34	BSPT 3/4	20	43	18	27	
	IPT 15 MTF 38	NPT 3/8	20	39	13	22	
	IPT 15 MTF 12	NPT 1/2	20	42	16	22	
	IPT 15 MTF 34	NPT 3/4	20	43	18	27	


Size		Ød	Ød1	L	L1	Standard hose plug /
6	IPT 06 MHF 06	6 mm	9.4	37	23	
	IPT 06 MHF 09	9 mm	9.4	37	23	
9	IPT 09 MHF 09	9 mm	13.5	45	26	
	IPT 09 MHF 13	13 mm	13.5	45	26	
15	IPT 15 MHF 16	16 mm	20	50	28	
	IPT 15 MHF 19	19 mm	20	55	28	


Size		Ød	Ød1	L	L1	
6	IPT 06 MPF 06	6 mm	9.4	38	24	
	IPT 06 MPF 10	10 mm	9.4	38	24	
9	IPT 09 MPF 10	10 mm	13.5	45	24	
	IPT 09 MPF 13	13 mm	13.5	48	28	
15	IPT 15 MPF 16	16 mm	20	65	38	
	IPT 15 MPF 19	19 mm	20	67	38	

Conical male thread plug with valve	Size		Ød	Ød1	L	L1	HEX
	6	IPT 06 MRB 14	BSPT 1/4	9.4	29	12	14
		IPT 06 MRB 38	BSPT 3/8	9.4	29	12	17
		IPT 06 MTB 14	NPT 1/4	9.4	29	12	14
		IPT 06 MTB 38	NPT 3/8	9.4	29	12	17
		IPT 06 MKB 1415	M14x1.5	9.4	29	12	14
	9	IPT 09 MRB 14	BSPT 1/4	13.5	32	12	14
		IPT 09 MRB 38	BSPT 3/8	13.5	32	12	17
		IPT 09 MRB 12	BSPT 1/2	13.5	37	16	22
		IPT 09 MTB 14	NPT 1/4	13.5	32	12	14
		IPT 09 MTB 38	NPT 3/8	13.5	32	12	17
		IPT 09 MTB 12	NPT 1/2	13.5	37	16	22
		IPT 09 MKB 1415	M14x1.5	13.5	32	12	15
		IPT 09 MKB 1615	M16x1.5	13.5	32	12	17
	15	IPT 15 MRB 12	BSPT 1/2	20	46	12	22
		IPT 15 MRB 34	BSPT 3/4	20	46	16	27
		IPT 15 MTB 12	NPT 1/2	20	46	12	22
		IPT 15 MTB 34	NPT 3/4	20	46	16	27

Cylindrical male thread plug innerhex	Size		Ød	Ød1	L	L1	HEX
 Inner HEX	6	IPT 06 MRFH 18	BSPT 1/8	9.4	23	9	5
		IPT 06 MRFH 14	BSPT 1/4	9.4	23	13	5
		IPT 06 MKFH 1010	M10x1	9.4	23	9	5
		IPT 06 MKFH 1415	M14x1.5	9.4	25	9	5
	9	IPT 09 MRFH 14	BSPT 1/4	13.5	30	13	8
		IPT 09 MRFH 38	BSPT 3/8	13.5	30	13	8
		IPT 09 MRFH 12	BSPT 1/2	13.5	30	15	8
		IPT 09 MKFH 1415	M14x1.5	13.5	31	9	8
		IPT 09 MKFH 1615	M16x1.5	13.5	31	9	8

Size		Ød	Ød1	L	HEX	Plug with female thread
6	IPT 06 MFF 18	BSP 1/8	9.4	25	13	
	IPT 06 MFF 14	BSP 1/4	9.4	32	16	
	IPT 06 MFF 38	BSP 3/8	9.4	32	19	
9	IPT 09 MFF 14	BSP 1/4	13.5	27	16	
	IPT 09 MFF 38	BSP 3/8	13.5	28	19	
	IPT 09 MFF 12	BSP 1/2	13.5	30	24	

Size		Ød	Ød1	L	L1	L2	HEX	Conical male thread plug 90°
6	IPT 06 MRF 18-90	BSPT 1/8	9.4	27	9	20	11	
	IPT 06 MRF 14-90	BSPT 1/4	9.4	34	11	22	15	
	IPT 06 MRF 38-90	BSPT 3/8	9.4	34	11	22	17	
	IPT 06 MTF 18-90	NPT 1/8	9.4	27	9	20	11	
	IPT 06 MTF 14-90	NPT 1/4	9.4	34	11	22	15	
	IPT 06 MTF 38-90	NPT 3/8	9.4	34	9	23	17	
	IPT 06 MKF 1010-90	M10x1	9.4	27	11	20	11	
	IPT 06 MKF 1415-90	M14x1.5	9.4	34	11	22	15	
9	IPT 09 MRF 14-90	BSPT 1/4	13.5	38	11	27	15	
	IPT 09 MRF 38-90	BSPT 3/8	13.5	38	11	27	17	
	IPT 09 MTF 14-90	NPT 1/4	13.5	38	11	27	15	
	IPT 09 MKF 1415-90	M14x1.5	13.5	38	11	27	17	

Size		Ød	Ød1	L	L1	HEX	Extention plug without thread
6	IPT 06 MEF 63	10	9.4	63	46	11	
	IPT 06 MEF 100	10	9.4	100	83	11	
	IPT 06 MEF 120	10	9.4	120	103	11	
	IPT 06 MEF 240	10	9.4	240	223	11	
	IPT 06 MEF 360	10	9.4	360	343	11	
9	IPT 09 MEF 150	14	13.5	150	127	15	
	IPT 09 MEF 300	14	13.5	300	127	15	
	IPT 09 MEF 450	14	13.5	450	127	15	

Male long thread plug

Size		Ød	Ød1	L	L1	HEX
6	IPT 06 MMFL 18x100	BSP 1/8	9.4	100	6x10	11
	IPT 06 MMFL 14x100	BSP 1/4	9.4	100	6x10	14
	IPT 06 MMFL 38x100	BSP 3/8	9.4	100	6x10	17
	IPT 06 MMFL 1010x100	M10x1	9.4	100	6x10	11
	IPT 06 MMFL 1415x100	M14x1.5	9.4	100	6x10	14
Size		Ød	Ød1	L	L1	HEX
9	IPT 09 MMFL 14x100	BSP 1/4	13.5	100	6x10	14
	IPT 09 MMFL 38x100	BSP 3/8	13.5	100	6x10	17
	IPT 09 MMFL 1415x100	M14x1.5	13.5	100	6x10	14
	IPT 09 MMFL 1615x100	M16x1.5	13.5	100	6x10	17

Male thread extension plug

Size

Ød

Ød1

L

L1

L2

HEX

6

IPT 06 MRF 18xL

BSPT 1/8

9.4

*

17

9

11

IPT 06 MRF 14xL

BSPT 1/4

9.4

*

17

12

14

IPT 06 MTF 18xL

NPT 1/8

9.4

*

19

9

11

IPT 06 MMF 1010xL

M10x1.0

9.4

*

19

9

11

* L : Length (mm): 60 / 80 / 100 / 120 / 150 / 200

9

IPT 09 MRF 14xL

BSPT 1/4

13.5

*

24

12

14

IPT 09 MRF 38xL

BSPT 3/8

13.5

*

24

12

17

IPT 09 MTF 14xL

NPT 1/4

13.5

*

24

9

14

IPT 09 MTF 38xL

NPT 3/8

13.5

*

24

9

17

IPT 09 MMF 1215xL

M12x1.5

13.5

*

25

9

14

IPT 09 MMF 1415xL

M14x1.5

13.5

*

24

9

15

* L : Length (mm): 60 / 80 / 100 / 120 / 150 / 200

15

IPT 15 MRF 38xL

BSPT 3/8

20

*

40

12

22

IPT 15 MRF 12xL

BSPT 1/2

20

*

40

12

22

IPT 15 MTF 38xL

NPT 3/8

20

*

40

12

22

IPT 15 MTF 12xL

NPT 1/2

20


*

40


12

22

* L : Length (mm): 60 / 80 / 100 / 120 / 150 / 200

Steel extension tube with female male thread		Size	BSP-BSPT	NPT-NPT	Ød	Ød1	Ød2	Ød3	L	INNER HEX
	1/8"		MFE 18/18-50 ST	TNE 18/18-50 ST	1/8	1/8	10	6	50	5
			MFE 18/18-75 ST	TNE 18/18-75 ST	1/8	1/8	10	6	75	5
			MFE 18/18-100 ST	TNE 18/18-100 ST	1/8	1/8	10	6	100	5
			MFE 18/18-125 ST	TNE 18/18-125 ST	1/8	1/8	10	6	125	5
	1/4"		MFE 14/14-50 ST	TNE 14/14-50 ST	1/4	1/4	14	9	50	8
			MFE 14/14-75 ST	TNE 14/14-75 ST	1/4	1/4	14	9	75	8
			MFE 14/14-100 ST	TNE 14/14-100 ST	1/4	1/4	14	9	100	8
			MFE 14/14-125 ST	TNE 14/14-125 ST	1/4	1/4	14	9	125	8
			MFE 14/14-150 ST	TNE 14/14-150-ST	1/4	1/4	14	9	150	8


 BSP (Female) - BSPT (Male)
 NPT (Female) - NPT (Male)

Size	BSPT-BSPT	NPT-NPT	Ød	Ød1	Ød2	L	Steel extension tube with male thread
1/8"	RRE 18/18-50 ST	TTE 18/18-50 ST	1/8	10	6	50	
	RRE 18/18-100 ST	TTE 18/18-100 ST	1/8	10	6	100	
	RRE 18/18-150 ST	TTE 18/18-150 ST	1/8	10	6	150	
	RRE 18/18-200 ST	TTE 18/18-200 ST	1/8	10	6	200	
	RRE 18/18-250 ST	TTE 18/18-250 ST	1/8	10	6	250	
1/4"	RRE 14/14-50 ST	TTE 14/14-50 ST	1/4	14	9	50	
	RRE 14/14-100 ST	TTE 14/14-100 ST	1/4	14	9	100	
	RRE 14/14-150 ST	TTE 14/14-150 ST	1/4	14	9	150	
	RRE 14/14-200 ST	TTE 14/14-200 ST	1/4	14	9	200	
	RRE 14/14-250 ST	TTE 14/14-250 ST	1/4	14	9	250	
3/8"	RRE 38/38-50 ST	TTE 38/38-50 ST	3/8	17	12	50	
	RRE 38/38-100 ST	TTE 38/38-100 ST	3/8	17	12	100	
	RRE 38/38-150 ST	TTE 38/38-150 ST	3/8	17	12	150	
	RRE 38/38-200 ST	TTE 38/38-200 ST	3/8	17	12	200	
	RRE 38/38-250 ST	TTE 38/38-250 ST	3/8	17	12	250	
1/2"	RRE 12/12-100 ST	TTE 12/12-100 ST	1/2	22	16	100	
	RRE 12/12-150 ST	TTE 12/12-150 ST	1/2	22	16	150	
	RRE 12/12-200 ST	TTE 12/12-200 ST	1/2	22	16	200	
	RRE 12/12-250 ST	TTE 12/12-250 ST	1/2	22	16	250	

Size		Description	Material	Working Temp.	Replacement seal set
6	SK IPT 06 MN	Plug Seal Set	NBR - Nitrile	-15°C +100°C	
9	SK IPT 09 MN	Plug Seal Set	NBR - Nitrile	-15°C +100°C	
15	SK IPT 15 MN	Plug Seal Set	NBR - Nitrile	-15°C +100°C	
6	SK IPT 06 FN	Socket Seal Set	NBR - Nitrile	-15°C +100°C	
9	SK IPT 09 FN	Socket Seal Set	NBR - Nitrile	-15°C +100°C	
15	SK IPT 15 FN	Socket Seal Set	NBR - Nitrile	-15°C +100°C	
6	SK IPT 06 MV	Plug Seal Set	FPM - Viton	-20°C +200°C	
9	SK IPT 09 MV	Plug Seal Set	FPM - Viton	-20°C +200°C	
15	SK IPT 15 MV	Plug Seal Set	FPM - Viton	-20°C +200°C	
6	SK IPT 06 FV	Socket Seal Set	FPM - Viton	-20°C +200°C	
9	SK IPT 09 FV	Socket Seal Set	FPM - Viton	-20°C +200°C	
15	SK IPT 15 FV	Socket Seal Set	FPM - Viton	-20°C +200°C	